


Cod: KF-0050



**Máxima protección bajo condiciones adversas de la iluminación.**  
**Protección Reflectiva**

## TALLES



|            | M  | L  | XL |
|------------|----|----|----|
| Chest (A)  | 60 | 62 | 64 |
| Length (C) | 62 | 64 | 66 |

## CHALECO REFLECTIVO

Seguridad Vial

Cod: KF-0050

### INFORMACION DEL PRODUCTO

|                      |                                    |
|----------------------|------------------------------------|
| Talles:              | M - L - XL                         |
| Color del Textil:    | Naranja                            |
| Color Hilo y Acces.: | Naranja                            |
| Color Cintas:        | Gris Reflectivo                    |
| Material:            | 100% Polyester 120g /m2            |
|                      | Fondo > 0,5m - Reflectivo > 0,13m  |
| Acabado Exterior:    | Reflectivo Clase 2                 |
|                      | Ribete naranja - Velcros de ajuste |
| Normas:              | ANSI-ISEA 107-2010 - CE EN 471     |


### EMPAQUE

|                   |          |
|-------------------|----------|
| Cantidad por Caja | 100      |
| Unidad:           | Unidades |
| Largo Caja (cm):  | 40       |
| Ancho Caja (cm):  | 35       |
| Alto Caja (cm):   | 35       |
| Volumen (m3):     | 0,049    |
| Peso Bruto (Kg):  | 15       |

### Textil



### Reflectivo



### Velcros Dobles



### Identificación Talle



### CARACTERISTICAS

- Equipo de protección individual para alta visibilidad Clase 2.
- Confeccionado con material retrorreflectivo y material fluorescente según la Norma ANSI-ISEA 107-2010 y CE EN 471.
- Señaliza visualmente la presencia del usuario y ofrece visibilidad del mismo en situaciones de riesgo.
- Reflectivo de alta visibilidad.
- Velcros de primera calidad reforzados para un mejor ajuste, ofreciendo más comodidad y evitando aperturas no intencionales

### APLICACIONES

Industria de la construcción, depósitos, almacenes.  
Industria forestal, gas, refinerías. (No recomendado para la Industria Minera)  
Industria del transporte, aeropuertos, agricultura.  
Cuadrillas de trabajadores, trabajadores de la sanidad, fuerza de policia, etc.  
Esta prenda de protección de usuario, señalará la presencia del mismo en la mayoría de los entornos urbanos y rurales a la luz diurna y bajo la iluminación de los faros de un automóvil o cualquier otra fuente de luz artificial en la oscuridad y condiciones nocturnas.

### 0.18mm 170T



Lavado a máquina con agua a 40°C, sin exceder los 60°C. No utilizar hipocloritos. Planchado a mano a 160°C con paño superpuesto. Utilizar jabón neutro.

### Textiles Seleccionados



### Cetificaciones

**CE**  
**EN 471**



Version No.: v001-2014

Fecha: 14/11/2014

Final :

SI

NO





## EC Type-Examination Certificate

52625/1

**Date of Issue:** 30 October 2009

**Expiry date:** 30 October 2014

This is to certify that BTTG Testing & Certification Ltd, specified as a "notified body" under the terms of the Personal Protective Equipment Regulations 2002, did undertake the relevant type approval procedures for the equipment identified below which was found to be in compliance with the relevant provisions of EC Directive 89/686/EEC, or as amended, subject to any conditions in the schedule attached hereto.

**Manufacturer:** IVP INTERNATIONAL (HK) LIMITED

**Address:** Chunfeng Lu Meiyuan  
Shenzhen  
Guangdong 518002  
Peoples Republic of China

**Product Description:** High Visibility Vests

**Product Codes:** KF-001 KF-002 KF-005

**Technical File reference:** 52625

**Harmonised Standard(s):** EN 340:2003  
EN 471:2003/A1:2007  
Class 2 for area of material  
Class 2 for retroreflective performance

This certificate relates specifically to the PPE items described and depicted in the manufacturer's Technical File, copies of which are held by the manufacturer and BTTG, and not to any other items.

The attached schedule of approval forms part of this certificate. This certificate remains valid unless cancelled or revoked, provided the conditions in the attached schedule are complied with and the equipment remains satisfactory in service.

Certificate Authorised by: .....

A Didycz  
Certification Officer

Notified Body for PPE  
Testing & Certification  
I.D. No. 0338

and: .....

C A Butcher  
Certification Manager



Issued by BTTG Testing & Certification Ltd., Notified Body Identification No. 0338.

0338 EC10 v.6 01/10/09

Page 1 of 3

BTTG Testing & Certification Ltd. Registered Office: Unit 14, Wheel Forge Way, Trafford Park, Manchester M17 1EH, United Kingdom.  
Registered in England No. 4669650. Tel: +44 (0)161 873 6543 Fax: +44 (0)161 848 7378 E-mail: info@bttg.co.uk



## Schedule of Approval

Certificate No: 52625/1      Date of Issue: 30 October 2009      Expiry date: 30 October 2014

Issued by:      BTTG Testing & Certification Ltd. Notified Body No. 0338.

IVP INTERNATIONAL (HK) LIMITED

52625

### CONDITIONS OF CERTIFICATION

#### Description of product

|                               |               |               |
|-------------------------------|---------------|---------------|
| <b>High Visibility Vests:</b> |               |               |
| <b>KF-001</b>                 | <b>KF-002</b> | <b>KF-005</b> |

High Visibility Vests with retroreflective tape arranged as follows:

KF-001: In two bands around the torso only.

KF-002: In one band around the torso and vertically over each shoulder.

KF-005: In two bands around the torso and vertically over each shoulder.

Available in size range: XL – XXL

Available in the following materials:

Outer Fabric:      **KP02; Yellow High Visibility Fluorescent Knitted Fabric - 100% Polyester**

Retroreflective:      **HC-001; T/C fabric with coating (glass micro-beads)**

#### Limitations of Use

- Usage, maintenance and storage as per manufacturer's instructions.
- The garments were available in a size range (XL –XXL) which did not conform to the requirements of EN 471:2003, which refers to EN 340, which in its latest version (2003) refers to EN 13402, but which conformed to the manufacturer's size range. In the opinion of BTTG Testing & Certification, this size range fulfils the requirements of Annex II, Clause 1.3.1 of Directive 89/686/EEC.

CONTINUED ON PAGE 3

**Schedule of Approval (continued)**

**Certificate No:** 52625/1

**Date of Issue:** 30 October 2009

**Expiry date:** 30 October 2014

**Issued by:** BTTG Testing & Certification Ltd. Notified Body No. 0338.

**IVP INTERNATIONAL (HK) LIMITED**

**52625**

**DOCUMENTATION SUBMITTED (Technical File – 52625):**

**Approval Documents**

- Design report Nos. 52625/A1/PJH; 52625/A2/PJH; 52625/A3/PJH
- Fabric test report No. 13022/00279/PJH
- Retroreflective tap test report No. 21138958 001
- Ergonomic Assessment test report No. 52625/B/CS
- Innocuousness information - Test Report No. 159264

**Product Documentation**

- Product description
- Drawings
- Fabric description and test data
- Supplier's Innocuousness statement for fabric
- Component list
- Size chart
- ISO 9001:2000 certificates for manufacturing sites
- Article 11B certificates for manufacturing sites
- Labelling
- User Information
- Statement of end use

**Terms and Conditions associated with the issue of  
EC Type-Examination Certificate No: 52625/1**

1. This certificate is issued subject to BTTG's standard terms of business.
2. Production is limited to the site(s) listed in the manufacturer's Technical File, copies of which are held by the manufacturer and BTTG, and not to any other production site(s).
3. Any change to the product or quality manual / quality plan shall be immediately notified to BTTG.
4. This certificate is issued in the English language only. It is the responsibility of the Manufacturer / Authorised Representative to obtain and supply language versions acceptable to the country where the product is to be sold.
5. This certificate remains the property of BTTG and will be withdrawn if any of the conditions attached to its issue are not complied with.

END OF CERTIFICATE