

Cod: ADF735S



Máxima protección
de cara y ojos
en trabajos de soldadura.

IDENTIFICACION



PACKING

MASCARA DE SOLDAR

Protección facial

Cod: ADF735S

INFORMACION DEL PRODUCTO

Datos Generales	Talles:	Único
	Color:	Temático
	Color Interior:	Negro
	Color Suspensión:	Negro
	Material:	Nylon Alto Impacto
	Acabado Exterior:	Temático Uruguay
	Acabado Interior:	Suspensión de avanzada, libera tensión en puntos críticos.
	Normas:	DINplus, CE, ANSI Z87.1

EMPAQUE

Detalles de Empaque	Cantidad por Caja	8
	Unidad:	Unidades
	Largo Caja (cm):	50
	Ancho Caja (cm):	50
	Alto Caja (cm):	65
	Volumen (m3):	0,1625
	Peso Bruto (Kg):	8,79

CARACTERISTICAS

- Diseñada para proteger los ojos y la cara de: chispas, salpicaduras y la radiación nociva en las condiciones normales de soldadura.
- Tiempo de respuesta: 1/25,000 segundos
- Se alimenta con células solares y batería. Recarga automática.
- Se adapta perfectamente, proporcionando máximo confort.
- Mejora la productividad del operador al permitirle trabajar seguro y confortable.
- Fácil ajuste y respirabilidad. Peso liviano: 445 grs.
- Certificaciones: DINplus, CE, ANSI Z87.1, CSA Z94.3, AS/NZS 1338.1

APLICACIONES

Recomendados para trabajos:

Industrial en general de soldadura, en industria automotriz, metalúrgicas y todo proceso donde se requiera protección facial al realizar éstas tareas.

Adecuada para todas las aplicaciones de soldadura: ARC, MMA, MIG, MAG, TIG y corte de plasma.

Stick Welding (SMAW); TIG DC&AC; TIG Pulse DC; TIG Pulse AC; MIG/MAG/CO2; MIG/MAG Pulse;

Plasma Arc Cutting (PAC); Plasma Arc Welding (PAW); Air Carbon Arc Cutting (CAC-A);


Oxyfuel Gas Welding (OFW); Oxygen Cutting (OC); Grinding.

CERTIFICACIONES



FUNCIONES

- Solar, con batería reemplazable.
- 96x53mm (3.78"x2.09")
- 1/25,000 s. (claro a oscuro)
- Sombra 9-13
- Grinding mode
- Peso liviano



Version No.: v001-2016

Fecha: 17/02/2016

Final : SI NO

EC-Type Examination Certificate

Holder	DRAYSER LTDA. Minas 1678, esq. Cerro Largo. Montevideo C.P.: 11200 Uruguay
Registration No.	C485
Product	Automatic welding filter with manual scale number setting
Type, Model	735S
Testing basis	DIN EN 379:2009-07
Test reports/Test marks	12422-PZA-13
Marking of the product	Detailed marking see annex
Valid until	2019-01-08
Conformity	DIN CERTCO confirms that the prototype complies with the essential requirements according to the Annex II of Directive 89/686/EEC on personal protective equipment. This assessment was based on the test samples submitted by the manufacturer or distributor, the technical documents and the test report of the test laboratory.

Any previous versions of this EC-Type Examination Certificate hereby cease to be valid.

Please see the annex for further information.

S. Scholz

ANNEX

Page 1 of 2

Certificate C485 dated 2014-01-09

Manufacturer's Identification **UNDISCLOSED**

Marking of the product 4/9-13 1/1/1/2/379 CE

Product specification Scale number: 4/9-13
Optical class: 1
Diffusion of light class: 1
Variation of luminous transmittance class: 1
Angle dependence of luminous transmittance class: 2

Centre thickness: 4,8 mm
Edge thickness: 8,9 mm
Dimensions filter: 110 mm x 90 mm
Dimensions viewing area: 96 mm x 52 mm
Material: Solar panel, circuit board, LCD, lithium battery, ABS

Regulations/ Liabilities This EC-Type Examination Certificate is the property of DIN CERTCO and may be withdrawn if the conditions on which its issue was based are no longer met.

The manufacturer and/or distributor must have a declaration of conformity available for every product type.

The information leaflet (instructions for use) for the specified eye protection product must be written in the official language of the country of destination and include, among other things, the following details of the Notified Body:

DIN CERTCO Gesellschaft für
Konformitätsbewertung mbH
Alboinstr. 56
12103 BERLIN
GERMANY
Identification number of the Notified Body: 0196

As far as possible, the product must be labelled with the name and contact address of the manufacturer or, if the manufacturer is not based in the European Economic Area, the name and contact address of a representative or importer based in the European Economic Area.

It is not permitted to label the product with the identification number 0196.



ANNEX

Page 2 of 2

Certificate

C485 dated 2014-01-09

All changes to the product, the technical documents or to the quality assurance system must be notified to DIN CERTCO in writing.

The General Terms and Conditions of Business of DIN CERTCO apply.

